



S86


STP

2010-06-18






锐捷网络



锐捷网络

www.ruijie.com.cn



1. PVST+
C3750 C2950 H3C3600 C6509 C4507
HSRP PVST+ VTP SNMP
OSPF
2. GDHG NLB
NLB
3. Â œ → ¶ ∴



1 MSTP

S8610 Catalyst 4507
MSTP S8610 10.3 5 Catalyst 4507
12.2(31)
Catalyst 3700 S8610 Catalyst 4507

1
Catalyst 3700 S8610 4507
8610

2
Catalyst 3700 S8610 3700
4507 3700 8610
3700 8610
3700 4507


37 29 IOS 10.1 10.2

2 S8600 H3C 3600 BPDU

S8610 H3C 3600 BPDU

H3C 3600 S8610 DISC

H3C 3600 LOG BPDU LOG
%May 20 21:16:01:118 2010 Hostname_H3C3600
MSTP/3/BPDUFORMATCONFIGERROR:- 1 -Port GigabitEthernet1/1/3 received different



1.

- 1)MSTP
- 2)S8600 H3C 3600 BPDU

MSTP	domain name	revision	instance
	IST 0		S8610 2950

	CISCO	STP	CISCO
STP		MSTP	
H3C3600	STP		

1. 2. 3.
4. log 5. 6. 7.

- 2. 2950 IOS
- 12.1(22)EA13 MSTP 5






CHINA



CHINA





C2950 BLOCK 802.1s 20002 IEEE Standards for Local and
BPDU metropolitan area networks Virtual Bridged Local Area Networks—Amendment 3:
Multiple Spanning Trees

H3C3600

