



红巨星网络 全球网络

1.1

1

		S1908+ 8 10Base-T/100Base-TX RJ45 1 Console
		S1916+ 16 10Base-T/100Base-TX RJ45 1 1 Console
		IEEE 802.3-2002 IEEE 802.1D IEEE 802.1Q 802.1x
		10Base-T 3 3 UTP STP 100Base-TX 5 UTP STP 1000Base-TX 5 UTP STP 1000Base-SX MMF 1000Base-LX SMF MMF
LED	POWER	
	RJ45	Link/ACT 100Mbps LED
		Module Link/ACT 1000Mbps 100Mbps

1.

2.



LED

LED					
10BASE-T/100BASE-TX RJ45	LED (POWER)				
				1) 2) 3) 4)	
		LED			
	LED Module				

2)

4)



LED

10Mbps

2-8 S1908+

2-7 2-8

M3*6FMO

M3*6FMO

L


M3*10FMO

1


L

M3*10FMO

2-9 2-10



2-9 S1916+




2-10 S1908+

2


2-11 2-12

3

Ping



2-11 S1916+



2-12 S1908+



Power

1	10Base-T	3	3	UTP	STP
20/50	100Base-TX	5		UTP	STP
30	100Base-FX	3	3	UTP	STP

4EdB42-AVD9x69x5%

2.4



