



RG-WALL 1600-M5100

V1.4

©2013

1



Ruijie

RGOS®


RGNOS®

7 × 24

<http://www.ruijie.com.cn/>
<http://webchat.ruijie.com.cn>
<http://www.ruijie.com.cn/service.aspx>
<http://support.ruijie.com.cn>
service@ruijie.com.cn

4008-111-000

1



1-1 RG-WALL 1600-M5100

RG-WALL 1600-M5100

1-2

1~7

1-2 RG-WALL 1600-M5100

#			
1	USB MGMT	USB-B	USB
2	MGMT	RJ-45	PC MGMT 1Web UI

2

2.1

RG-WALL 1600-M5100

2.1.1

2.1.2

2.1.3

1~10

2.1.5

RG-WALL 1600-0020004273300E27407R381 0 704 14 11123180405E2 1 140 1 1534044E235438408341041AE3 9 0 1084D921D201B91 01

[illegible]

2.2.3

RG-WALL 1600-M5100

RG-WALL 1600-M5100

0°C-40°C	20%-90%

1.5M

0.4M

2.2.4

2.2.7 EMI

2.3

2.4


RG-WALL 1600-M5100

2.5

	2	2	USB SFP	2	Console	8	4
--	---	---	------------	---	---------	---	---

3

3.1



3.2

3.3

5mm

1.5cm

- 1)
- 2)
- 3)
- 4)

1RU=44.45mm(1.75inch) IEC60297 19 1RU 3-1

RU Rack Unit


WALL 1600-M5100

RU

U

RG-

3-1



RG-WALL 1600-M5100		
RG-WALL 1600-M5100		RG-WALL 1600-M5100

3.4

RG-WALL 1600-M5100

10mm

- 1) RG-WALL 1600-M5100
- 2) RG-WALL 1600-M5100
- 3) RG-WALL 1600-M5100 RG-WALL 1600-M5100

3.5

16A

- 1)
- 2)

3	1.5	14AWG
---	-----	-------


3.6



< >

4-4

4-3



< >

4-5

9600

8

1


4-4




3)

< >

4-6




PC	Console	Console
USB	PC	SecureCRT
USB	Console	Console
PC	USB	Console
6	0	“ ” “ ”
4-7	COM	LPT
	COM	COM



9600 8 1

- 1) FileConnect Connect -new session -
- Serial 4-8



4-8


- 2) 6 0 4-9

4-10

4)

< >

4-11



4-11

4.2

PC


5

5.1

RG-WALL 1600-M5100

6

6.1



6.2

1

2

Status Power

A

A 4



B

RG-WALL 1600-M5100


19

D-2



D-3

D-3



220V -48V

D-4

D-4

