



# 全球网络

## 1.1

## 1

|     |       |                                                                                                                                                             |
|-----|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |       | S1908+ 8 10Base-T/100Base-TX RJ45 ( MDI /MDIX )<br>1 Console                                                                                                |
|     |       | S1916+ 16 10Base-T/100Base-TX RJ45 ( MDI /MDIX )<br>1<br>1 Console                                                                                          |
|     |       | IEEE 802.3-2002<br>IEEE 802.1D 4 IEEE 802.1Q<br>802.1x                                                                                                      |
|     |       | 10Base-T 3 3 UTP STP<br>100Base-TX 5 UTP STP<br>100Base-FX MMF( )<br>100Base-FX-S SMF( )<br>1000Base-TX 5 UTP STP<br>1000Base-SX MMF<br>1000Base-LX SMF MMF |
| LED | POWER |                                                                                                                                                             |
|     | RJ45  | Link/ACT 100Mbps LED                                                                                                                                        |
|     |       | Module Link/ACT 1000Mbps 100Mbps                                                                                                                            |



1.

Ш

Ш

Ч

2.

Ш

Ч

Ч





4LED

Ш

|                          |                       |     |         |                      |  |
|--------------------------|-----------------------|-----|---------|----------------------|--|
| LED                      |                       |     |         |                      |  |
|                          |                       |     |         |                      |  |
| 10BASE-T/100BASE-TX RJ45 | LED (POWER)           |     |         | 1)<br>2)             |  |
|                          | / LED Link/AC T       | Ш   |         | 1)<br>2)<br>3)<br>4) |  |
|                          | 100Mbps LED (100Mbps) | LED | 100Mbps | RJ45 10Mbps          |  |
|                          | LED Module            |     |         |                      |  |

/

2)

4)



100Mbps

LED

10Mbps

LED

100Mbps

100M



2-8 S1908+

2-7

2-8

Ш

M3\*6FMO

Ш

Ш

M3\*6FMO

Ш

L

Ч

M3\*10FMO

Ш

1


L

M3\*10FMO


Ш

2-9

2-10



2-9 S1916+



2-10 S1908+

2

2-11

2-12


Ш

Ш


3

Ping

Ш



2-11 S1916+



2-12 S1908+

■

■

Power

|       |                  |   |   |     |     |   |
|-------|------------------|---|---|-----|-----|---|
| 1     | 10Base-T         | 3 | 3 | UTP | STP |   |
| 20/50 | 100Base-TX       | 5 |   | UTP | STP | Ш |
| 30/60 | 4EdB4-AVD9x69x5% |   |   |     |     |   |

## 2.4



山



山



