

7Và0Uq

D}F^ x 0E

Ø W



z iVid

z Et

z à



z iHèy <https://www.ruijie.com.cn>

z iHèy <https://www.ruijie.com.cn/fw/>

z iHè 7*24hèy <https://ocs.ruijie.com.cn>

z iHè 7*24hèy 4008-111-000

z iHèWÀ 4i:Æ <https://www.ruijie.com.cn/special/fw/tool/xryf/>

z iHè FØ ý 4008111000@ruijie.com.cn

z iHè4FØ doc@ruijie.com.cn



4i:Æ APP



iHèZ

T,

1. R



nPM}q- ož-Ń k hñw4y6ñ k kùk-è
Kò ož

! Aè
>ž+mNlFž 0>Ń%7328*KgLAê.

! È
>ž+mNl0,° H*Ń%7328*Ńg~L]73Lž


i B*D
+Ń=+iD=/p1>ŃP28*[HD0

✓ ý /(~be7è
+Ń(~be7è B*D>

1 Cþ

1.1 cþ

2.4G NÁ¢
5G M&%[B1yLN¢
k+Q&%[BNA¢ @ã
APÄ APDÄNÄ561yZ&P AP 7 48 Z¢ RFID 4NAQ¢1
RFID 7-È APD µ@6 AP¢1 2.4G/5G M&%[BÈ9 5G M&%[BF 11ac 40 5¢Ee(65•
01F61yG}&S>46BH4¢6H



1.2 700"


1.2.1 RG-AP4220

1.2.1.1 RG-AP4220 C

RG-AP4220	
PEÄp	DÄA 802.11ac/n/a/g/b 7
4 83Ä RRM	FßB3Ä DCAÄ j8Ä TPCÄ -P
1Ff	802.11b/g/n 13 1~6 6Ä 802.11a/n/ac 41 149~165 6Ä
80)·	802.11a 54/48/36/24/18/12/9/6Mbps 802.11b 11/5.5/2/1Mbps 802.11g 54/48/36/24/18/12/11/9/6/5.5/2/1Mbps 802.11n 20MHz 1 10 : 72.2/65/58.5/57.8/52/43.3/39/28.9/26/21.7/19.5/14.4/13/7.2/6.5Mbps 802.11n 40MHz 10

	150/120/135/121.5/120/108/90/81/60/54/45/40.5/30/27/15/13.5Mbps 802.11ac 0QFO)· 433Mbps(NSS1È VHT80)
(*B(©W	
j(	200mm×190mm×35mmÅ h\$ ×Q Å
G&ÿ	=CÆ÷ 2kg(6ý [[2æ])
≥0	âP &W)â)

1.2.1.2 RG-AP4220 CPE



1. Status1	R1-1&R1-2	1È SMA 0
2. Status2	R2-1&R2-2	1È SMA 0
3. Status3	R3-1&R3-2	1È SMA 0
4. Status4	R4-1&R4-2	1È SMA 0
5. Power.	+48V	
6. LAN	LAN	
7. LAN/PoE. PoE	LAN	
8. 48V		
9. Console	RJ45 b	
10. RFID0	RFID	1È SMA 0
11. RFID1	RFID	2È SMA 0
12. R1-1	CH1_2.4G,CH0_5.8G,	1È SMA 0
13. R1-2	CH0_2.4G,CH1_5.8G,	1È SMA 0
14. R2-1	CH1_2.4G,CH0_5.8G,	2È SMA 0
15. R2-2	CH0_2.4G,CH1_5.8G,	2È SMA 0
16. R3-1	CH1_2.4G,CH0_5.8G,	3È SMA 0
17. R3-2	CH0_2.4G,CH1_5.8G,	

	3È SMA Ö
18. R4-1	CH0_2.4G,CH1_5.8G,4NÁ
4È SMA Ö	
19. R4-2	CH1_2.4G,CH0_5.8G,4NÁ
4È SMA Ö	

1.2.1.3 RG-AP4220 CΘ”


№	Мәс	Түр	Түр
(1)	Status1	580 0	4N R1-1&R1-2 0
		80	4N R1-1 !0N R1-2 2h
		0	4N R1-1 20N R1-2 !h
		480 0 P	4N R1-1&R1-2 0
(1)	Status2	580	4N R2-1&R2-2 0
		80	4N R2-1 !0N R2-2 2h
		0	4N R2-1 20N R2-2 !h
		480 0 P	4N R2-1&R2-2 0
(1)	Status3	580	4N R3-1&R3-2 0

1.2.1.5 RG-AP4220 bCă

RG-AP4220 G+XNp/ANBZ n5j1a È BX j1a×uM+Ca 10cm,0L\$ È ¼

Health	EN 62311
4N	4A7h
	EN300 328
	EN301 893

1.2.2.2 RG-APD-M(EA)C



1. R1	R1-1&R1-2	15.R1-1	AP	Q	4NÁ	1 È
2. R2	R2-1&R2-2	CH0_2.4G,CH0_5.8G,SMA	õ			
3. R3	R3-1&R3-2	16.R1-2	APD	Q	1È SMA	õ
4. R4	R4-1&R4-2	17.R2-1	AP	Q	4NÁ	2 È
5. R5	R5-1&R5-2	CH0_2.4G,CH0_5.8G,SMA	õ			
6. R6	R6-1&R6-2	18.R2-2	APD	Q	2È SMA	õ
7. LAN1	LAN1	19.R3-1	AP	Q	4NÁ	3 È
8. LAN2	LAN2	CH0_2.4G,CH0_5.8G,SMA	õ			
9. PWR	+	20.R3-2	APD	Q	3È SMA	õ
10.LAN3	LAN3	21.R4-1	AP	Q	4NÁ	4 È
11. PoE+ / LAN 1. PoE	È LAN	CH1_2.4G,CH0_5.8G,SMA	õ			
12. LAN 2.	LAN È 48V	22.R4-2	APD	Q	4È SMA	õ
13.48V		23.R5-1	AP	Q	4NÁ	5 È
14.LAN 3.	LAN	CH1_2.4G,CH0_5.8G,SMA	õ			

	R4		
	R5	5B	4M R5-1&R5-2 1h
		4B 3 P	4M R5-1 1h R5-2 2h
		3	4M R5-1 2h R5-2 1h
	R6	5B	4M R6-1&R6-2 1h
		4B 3 P	4M R6-1 1h R6-2 2h
		3	4M R6-1 2h R6-2 1h
	PWR	5B	1h
		5B	2h
	LAN1	3	2 Link
		5B	Link up
		5B	Link/act
	LAN2	3	2 Link
		5B	Link up
		5B	Link/act
	LAN3	3	2 link
		5B	Link up
		5B	Link/act

1.2.2.4 RG-APD-M(EA)P

RG-APD-M(EA), +eS+X DC F65 PoE EÄ

X PoE EÄ 802.3at F PoE+ EÄ


„ EÄ 44-57V

„ NÄ 0.5A Ä48V Ä

a PoE Ä, %DG.+U, ? PoE+Ä PÄP>Äi yDBÄi



6



APD-M' EAμ (Rn-1= Rn-2)45°, F05

1.2.4 RG-IOA-2503-X5

1.2.4.1

RG-IOA-2503-X5	
6'	
145h 36	
0.14	
7dBi@2400-2500MHz 5dBi@5150-5850MHz	
T SMA	
2400-2500MHz&5150-5850MHz	
-10 ~+45	

1.2.4.2

RG



h5Z6c+a9NÇ =B1*Ç

1.2.5 RG-IOA-2503-X6


1.2.5.1

№	RG-IOA-2503-X6
F0	ě
0	05
IA sh 2A	153h 151h 46
G0A	0.14
Ā dBiĀ	7dBi@2400-2500MHz 5dBi@5150-5850MHz
Ō	W SMA !A
MHzĀ	2400-2500MHz&5150-5850MHz
Ė	-10 ~+45


1.2.5.2

RG-IOA-2503-X6 V1.00 5W SMA 2 Z ý W SMA ý 25Xjü

MEp/jÖ



X6 72æ



60 1 1 7X 4 NCM3*16mm, 15.08.2010 1 6X30mm 15.08.2010
 2 2 15.08.2010 15.08.2010 >6cm 15.08.2010 15.08.2010
 ,01\$

2 GỒ

2.1 G

5466 ⑦ 812A17065A

2.1.1

RG-AP4220 ¼ RG-APD-M(EA)BX j#xúM+Ca 10cm,0L\$ È 08 D,4JLF>XF
Q/564>B@4F*6 - n5XGJ4EJQFNÄ

2.1.2 ~~y.~~

Añ A7 !05\$041/8
A7P@

„ 4%0E9,)EFP@55HE5H=8EJ8%?ex 9&C+OjW7-FÑŽ&K8\$y
)BÄ

43(4)E÷,)E5H(wJ6ECx +OM%eA7:;+eDÄ

40Q, 10V E A 7, M W W W, L } ~ È O Q \$ J, È O

61FE0Ä

A7)) ~~PI~~ Ö

₩		-(₩)
₩	.₩	

L&HF&7p4,(jo)0D]p[,<Ä(9UI,960P<OHŽ&,61
FE0j0b9D0WF.ÄFRW/FÄD1y,Ä
L&² ; >Ä

RG-APD-M(EA)A7)FÈ §

Df	W (mg/m3)	OW (mg/m3)
WF.>	0.2	1.5
.FR	0.006	0.03
WF^	0.04	0.15
XD	0.05	0.15
"D	0.01	0.3

2.1.4 E

AKX7835FGÈÈE6V806V8ÄA055Ä
6V840ÄZÄLÄPÄDj0

- „ Èe3+5j TN 3+5Èe3Ä+X90Ä PEÄ(94†e ÄÄ7:%#eD7-9x,´
%L†e5Ä
- „ A70E/ß4†e4 ÄMEÄ QNÄW+eÄ7Ä
- „ ÄG+e.Äm,Èe56G+Xm+e56Ä
- „ Èe56EX04ÄFC4EbM†ex +O,E+eÄ+eÄA7Ä

2.1.5 EMI L

4Ä0A7Ä35FGÈÈE6V806V8ÄA17PÄ7
0Ä

- +e.ÄJT20ÄÄÄÄ+aPÄ,2Ä
- 0Z4,7-GÄh_4NÄ-GÄE0L\$ED~ &EjEÄÄ+5],0G6È
- †eDLÄÄÄ,Ä+O_jÄO{L\$+e.ÄF+e56RÄ+e56pZ.
- P`0ZÄ,ÄjÄ7,†eÄFJE%# ÄÄÄ-Ä7],†DÈ
- m9EÄWÄ
- „ Äe3+5G9x,Lb+e5Ä
- „ A7 0E=2+eÄ7,05ÄbM058+XÄ7--(DF0Ä
- „ F/ß)4Ä ÄMEÄ QNÄW+eÄ7Ä
- „ ÄG+XM%Äm Ü Ä

2.2 GVÈ

MS	e Ä 010Ä56	ÄÄÄÄ,	Ä
----	------------	-------	---


C+X\$	LbM%e\$
>~	7+X>~

@M6?m8 >#>

3 C

B-A54UB11bA,°>.AÚbAF&,°R(5%Ce

3.1 G



3.2 G ø \

XP:ÄÖ

„ >07-VËÖ,NËJE*Ä
 „ >0_V%CA7)Ä
 „ >0_V35ze%ÇeÄ
 „ >0_V35z(55G)4Ä
 „ _F9+X\Ëe F_ PoE Ëe È Ëe+eÄ 7-=7- È NËeÄ

Ö

„ PoE Ëe

G+X PoE Ëe &IÖxÖÖ019

802.3af F 802.3at PoE Ëe7-È65456FÖ

A7,´ PoE Ä

1. AP4220ÖA7-OË 802.3af 7Ëe

2. APD

F98F205E

3.1, >06A7>A-(5550)>5,88

Q4B50JAVs0imÄ

2001Aê°, Oß-.ä+k&E

B-.pêd0%M>

B-.4Aê°, 2pê/p&W>

G,aB#


A7155X0PÄ

„ >063j(Ö


-5J7000 M7x 4.5x28 Ä mmÅ

=0Ö 4*20PABC Ä mmÅ

. 3-1 700jP



. 3-2 =0j?




fG

„ 09ö

1) xXf 4 26 6mm, >05j 91h 65mm, K@,B+Xgi>060;
j(8>T0.20N-O50%0NKEB=0>6=03W*XÄ

2) 6>060N>0UA

3) 620K=0*E X0B200N>0/MFM /Ä



- 4) 6A7M2)0a>6A7tp2a>0ckj0Ep/jÄ
 &Ä' NB7/j2aNB7/jÄV/A>Ä
- 5) K1jN+0+XgiM0'8>ÄVCJK1d0>0K1B7ÄK1Ä2&K1ÄiG}Ä

8>0N78p1pGS@B-5SALS
 pSB-5#p>p0M

/)>0N0@,° 0000

B->04pe>0jF3FVFqD:s>

00D

A74MÄM56F65COEÄÄ

A7:+e{>Ä7hÄ7/j&Ähd00

KIB !0XÄ

8Ä\$

f0

A00


- 1) Lb-K1 .Ä9Ä
- 2) +X{70Äkj0,&Äa0Ä
- 3) 6kjA7aÄ07a/2Ä




3.4 RG-APD-M(EA)G2

- 1) xX87 4 26 6mm ,>40+Xgi>1.60;j(8>T0.2ř
O5%6LNKÉĐ=0>6=03W*XĚ
- 2) APD-M(EA)X=06 APD-M(EA)250E571/jÖ

17-



70



6>2æX=067.158a

3.5 GI0•

X050516A617A6ZD0W

4 G

4.1

phi

```

,, PoE Fe0A7001_V8A%Că 802.11af Fe0A70156_V FFJhÄ
,, DC Fe0V92+eE5-ö FeA7 _VhÄ

```

B	SSID		SSID
---	------	--	------

1) $x_{\text{AP}_V} = 0,5$

DÖh×
(12

Rn-1 K.D_VhM02.E&hF>7/j&7/jK.D,

„ 9 Rn &h/jj5/7j4NÄ

Rn-1 ¼ Rn-2B4F6

APD-M(EA),E&F>C8