RSR10-X-07

V1.15

G ң ث ̆ Ą й k ɞ ̊ ̀ Â

Ą ў Ў ɞ ң ث ƒ ̈ ╖ Э ɲ Э У Ҷ ̆ k ɞ à à ̆ Љ ⅄ ɲ ̧ ɲ G ђ ‡ Â ɣ Э ̈ ɞ з ƒ ɲ ̊ é У Â ̆ Í ң ث ̃ Ω ɲ Â

- ‘ http://www.ruijie.com.cn/
- ƒ ‘ http://webchat.ruijie.com.cn
- ┗ б ‘ http://www.ruijie.com.cn/service.aspx
- 7 ¦ 24 ┗ ‘ 4008-111-000
- ‘ http://bbs.ruijie.com.cn/portal.php
- ‘ http://www.ruijie.com.cn/service/know.aspx
- б Л ą ‘ 4008111000@ruijie.com.cn

Ą	
ң ث Ą	Ą ң ث ⅃ ~ ⅄ è Ч ɞ ̆ R Â
ң ث Ƃ ҳ Ą	Ą ң ث Ƃ ҳ ṁ ɞ Â ^ Ƃ ҳ à Ч ɲ G ̊ ̆ é ɛ R Â
ң ث WEB Ą	Ą ң ث ⅃ ╖ WEB ̆ R Â

| | | |

1

RSR10-X-07 ŋŷˇ ¯ ıı ˝I ´ ɛ ↓ ą ⁸ ˇ ` ˝Ω ↓ ў ∧ ą
ң ть ˇ é ў ң Â “ ŋŷ ŏ ıı ñ ∧ˇ ƒф ᴳ ↓ Э б ṁ ıı
ў ŋŷ ң ть ɔˇ ў ŋŷ Ƀ ҷ Ш ˝Ąˇ Л a ṁ ᴳ ң ть Â

1.1 RSR10-X-07

RSR10-X-07 ıı ◘ ŋŷ ` ˝Ω ↓ ў ∧ ă´ н ң ть Â ıı ◘ ˇ 32 æ
RISC ŋŷ ˇ ŋ ў ∧ ɔ Л ˇ ò ў ң ть ñ ˇ ` Â
RSR10-X-07 ŋŷ ˊ ɷ à Ђ à ŏ à· à ˇ a ̊ э ◘ Â ̊
ᵏ ɷ è ŕ ˚ ˇ VPN à IPv6 à MVRF à MPLS à ˇ ᵏ ŕ ` ↓ QoS
ˇ ұ à ώ Ь ā Â й è ҷ´ н ᵏ ˈ Ь ˊ У ā Â

RSR10-X-07 ᵏ . ˇ Л Љ н Ь Â

	2	3	
HSIC-4G-LTE	Ś	Ś	X
DHSIC-6GSW	Ś	Ś	X
RG-PA60	X	Ś	Ś
HSIC-2E1/CE1	Ś	Ś	Ś
HSIC-5G-NR	Ś	Ś	Ś

2 HSIÇ ^ 2 à 3 ~ ˇ OFL ˇ OFL a

1 э . ^ 3 ~ ˇ ˇ. У э DHSIC æ

2 э DHSIÇ ^ 2 à 3 ~ ˇ OFL ˇ OFL a

DHSIÇ Ґ ↓ Ł HSIÇ ˇ ˚. ЭЮ 2 э æ

	RSR10-X-07
	ıє ◘ 3 э Љ WAN Л ˇ 4 э Љ LAN Л Â3 э Љ WAN Л ˆ ч э 10M/100M/1000M Л ˇ 1 э 1000M/100M SFP ˝I Л Â4 э Љ LAN Л 4 э 10M/100M/1000M Л Â1 э USB 2.0 Л ˇ 1 э Console Л ˇ 1 э SD Л ˇ У э FUNC Â
HSIÇ	2ˆ 2 э Л HSIC/DHSIC ò æ Â ˜

ئۇ	RISC ئۇ
BOOT ROM	2MB
NAND FLASH	128MB

ˈ

1ˈ GE0/0 RJ45 ㄨㄣ ˆ

ㄧ 10/100M LINK/ACT (˜ˇ ㄨ

ㄧ 1000M LINK/ACT (˜ ˜

2ˈ GE0/1 RJ45 ㄨㄣ ˆ

ㄧ 10/100M LINK/ACT (˜ˇ ㄨ

ㄧ 1000M LINK/ACT (˜ ˜

3ˈ GE0/2 SFP ˝I ㄨ

4ˈ GE0/2 SFP ˝I ㄨ

5ˈ GE1/0--GE1/3 RJ45 ㄨㄣ

ˆ ㄧ 10/100M LINK/ACT (

˜ˇ ㄨ ㄧ 1000M LINK/ACT (

˜ ˜

6ˈ Console ㄨ

7ˈ SD

8ˈ SD

9ˈ USB

10ˈ FUNC ╗

11ˈ ɔ ˇ ɔ ˇ USB

	ŭ ĦX
SYS	˘ ˈ ˈ Э Э ɔ ă ˈ ˈ ƒ ĺ ╠ ă ˈ
PWR	ˈ ă ˈ k ˈ k
USB	USB ㄨ ˈ ˈ U USB ’ ă ˈ U USB ˥ ◘ ˇ ɜ Ђ ц’ ˈ USB ㄨ Ђ ц’ ă ˈ U USB ɔ ’
GE ㄨ 10/100M LINK/ACT (˜	GE ㄨ 10/100M LINK/ACT (˜ ˈ ˈ ㄨ Link up LINK ㄧ 1000M ă ˈ ㄨ 10/100M LinkUp ˈ ㄨ 10/100M link up ɜ ·

GE ﻠ 1000M LINK/ACT (~	GE ﻠ Љ 1000M LINK/ACT (~ ˈ ˈ ﻠ Link up LINK ﻭ 10M/100M ă ˈ 1000M Link up ˈ 1000M ﻥ
SFPLINK/ACT	SFPLINK/ACT : ˈ ﻠ Link up ă ˈ 100BASE-FX/1000BASE-X Link up ˈ 100BASE-FX/1000BASE-X ﻥ
SD	SD ﻠ ˈ SD ˈ ă ˈ SD ą ◘ ˘ з Ђ ц ˈ ˈ SD Ђ ц ˈ ă ˈ SD ɔ ˈ



ˈ	12ˈ SLOT 2	15ˈ ώ ﻠ	
	13ˈ SLOT 3	16ˈ ﻙ ﻠ	
	14ˈ ˇΩ	17ˈ . Æ	

EXEC show slots

¢

1.2

RSR10-X-07 ﻯ يز ◘ ﻠ У У Ў

1.2.1 console

RSR10-X-07 ᵏ У ɜ console ﻠˈ

■ console ﻝ˙

	ﻝ
ﻝ ñ	EIA/TIA-RS232
˚	RJ45
	9600~115200bps ˘ ﻝ 9600ơ 57600ơ 115200 (bps)ў 9600bps Â

DB9 RJ45 ‘Ω ж s ﻝ Â

1.2.2 GE

GE 6 GE0/0,GE0/1,GE1/0,GE1/1,GE1/2,GE1/3 GE0/2 SFP

يز □ GE ﻝ يي

э GE ﻝ é ч э Â

˙ GE ﻝ 10/100M LINK/ACT (~	GE ﻝ 10/100M LINK/ACT (~ ˙ ˙ ﻝ Link up LINK й 1000M ă˙ ﻝ 10/100M LinkUp ˙ ﻝ 10/100M link up з ·
ﻝ ˙ GE ﻝ 1000M LINK/ACT (~	GE ﻝЛъ 1000M LINK/ACT (~ ˙ ˙ ﻝ Link up LINK й 10M/100M ă˙ 1000M Link up ˙ 1000M ﻝ

RSR10-X-07 ᵏ ɞ 6 э 10/100/1000Mbps Лъ ﻝ Â ﻝ RJ45 ۞˘

يجي Ю˙

٨	
٨	6 ə 10/100/1000Base-T/1000Base-TX;
٨ ñ	IEEE Std 802.3ʼ 2008 ñ

GE ٨ G

10/100/1000BASE-Tʼ G 5E UTP STP · ѝ 100m Â

٨ MDI/MDIX ˘ G Ђ ٧ ٨˘ MDI/MIDX Â

ˆ ˛ ٨ ˛ ⁸ Лъ Э ٧ ą ٨ ˜

ˌ

ˇ RJ45 a . У ˘ ÿ ˛ ٨ ą ٨ ٨ ŋ ѝ 1˛ 8 Â



1000BASE-T ˊ IEEE 802.3ab ñ˘ 100-ohm 5 ٧ UTP ٧ STPʼ G

٧ STPʼ з 100 Â

ЛъЮ 1000BASE-T ą ٨ Нѫ

Pin	MDI	MDI-X
1	Media Dependent Interface A+	Media Dependent Interface A+
2	Media Dependent Interface A-	Media Dependent Interface A-
3	Media Dependent Interface B+	Media Dependent Interface B+
4	Media Dependent Interface C+	Media Dependent Interface C+
5	Media Dependent Interface C-	Media Dependent Interface C-
6	Media Dependent Interface B-	Media Dependent Interface B-
7	Media Dependent Interface D+	Media Dependent Interface D+
8	Media Dependent Interface D-	Media Dependent Interface D-

1000BASE-T ٨ 4 · ˘ 4 Э Â 1000BASE-T ٨ ˛ ٧ ˇ

ˌ

1000BASE-T ةمل ا ي

Ђ ا

Router **Router** **Router** **Router**

يز ◘ GESFP ˝I ˩ يي

SFP LINK/ACT ‘ ˘ ˩ Link up; ă ,100BASE-FX/1000BASE-X Link up; ,100BASE-FX/1000BASE-X ٨ Â

˝I ˩ SFP˜ Small Form-Factor Pluggable˜ ˩ ˜ يم˘ ˩ Ль ˝I يم Â

˩ ЛЬЮ ŭ ˩ ˝I ˩ يم˘ ˩ ‘

˩ SFP يم	’ ”I ˝I يم‘
	Mini-GBIC-SX‘ ` ˩ 1000BASE-SX mini GBIC يمˆ LC ˩˜ ’
	Mini-GBIC-LX‘ ` ˩ 1000BASE-LX mini GBIC يمˆ LC ˩˜ ’
	Mini-GBIC-LH40‘ ` ˩ 1000BASE-LH mini GBIC يمˆ LC ˩˜ ˘ 40km’
	Mini-GBIC-ZX50‘ ` ˩

	9/125um ` ”I · ù 2km ņ 15km ч

1.2.4 USB

USB ' ˘ U USB ’ ă˘ U USB] ◘ ˘ з Ђ ц’ ˘ USB
Л Ђ ц’ ă˘ U USB ɔ Â

RSR10-X-07 ﻳ◘ У э USB Л Â Л Љ Л ğÛ ÿ USB Ч ˘ ć î
USB è Â

	Ч
Л ñ	USB2.0

SD è Л Ю RGOS ɔ Ю FUNC RSR10-X-07 è ɔ Â

Л ñ	SD/SDHC
	SD Connector
	5MB/sec max
Л	Device
SD	SDHC

SD µ RGOS ¶ ¯ ° ¢ SD ¢

SD FAT32 FAT32 FAT32 ¢

SD SD ¢ SD Kingston ¡ Sandisk ¢

1.2.6 FUNC

FUNC

FUNC Æ USB Л G ɔ .

SD U Ю FUNC SD U Ю Â

SD U Ю FUNC , Æ Â

SD SD SD U ¢ SD U ¢ ¢

SIM

SIM OPEN LOCK 60 SIM SIM SIM



1 HSIC-4G-LTE 2 6.2

ANT0 ANT1

1.3.2 6 DHSIC-6GSW

DHSIC-6GSW 6

DHSIC-6GSW



RDY RJ45 1 Link/ACT Link/ACT

DHSIC-6GSW ɱ

PWR	‘ ▬ Э ▬ Â ă‘ ▬ Э Â
RDY	‘ ▬] ◘ ˘ ɔ ’ ă‘ ▬] ◘ ˘ ɔ Â

RJ45 ⅄

		ă˙ ▬] ◘ ˇ ɔ Â
Link/ACT	E1/CE1 ⅄ 0~1 ɔ	˙ ⅄ ’ ˙ ⅄ ˇ ∧’ ă˙ ⅄ Â
OFL		ˇ 3s ⅄ Ɔˇ RDY ˇ ł ▬ ╟ ˚ ˇ RDY ˇ ⅄ ▬ Â

HSIC-2E1/CE1

HSIC-2E1/CE1 ▬ ў ╖ ѝ˙ E1 ∧ˇ з ⅄ ⅄ъ CE1 ╖ Â◄ Ю˙

⅄	2 э
⅄ ښ	DB9
ˊ ñ	ITU-T G.703
ɔ	ɔ 0Ņ˙ 45Ņ’ ẏ ˙ –40Ņ- 70Ņ Â
	ɔ ˙ 5 ˍ˙ 95 ˍ’
EMC	EMI˙ GB 9254-2008 ClassA
	EMS˙ GB/T 17618-1998

ч ˙

ą ƒ ˙

DB9M	RJ45	ą ƒ
1	5	RX Ring
2	4	RX Tip
4	1	TX Tip
5	2	TX Ring

У й DB9 Ω ˘ ┘ У й RJ45 Â й 120 ß Â

ˆ ┘˜

ˆ ∫ Л ˛ ⁸ Љ Э ↓ ą ƒ ˜

ą ƒ ˙

DB9M	RJ45	ą ƒ
1	2	RX Ring
2	1	RX Tip
4	4	TX Tip
5	5	TX Ring

У й DB9 Ω ˘ ┘ У й ч э BNC Ω Â й 75 ß Â



G ↓

1.3.4 HSIC-5G-NR

HSIÇ شخ ا ˋ HSIC-5G-NR

HSIC-5G-NR يي



M6S&Aẽ

	5G/4G˜ LTE-TDD à LTE-FDD˜ /WCDMA ⁸
ɔ	ɔ 0Ņ˙ 45Ņ’ ẏ ‘ –40Ņ- 70Ņ Â
	ɔ ‘ 5 ˍ˙ 95 ˍ’
EMC	EMĭ GB 9254-2008 ClassA
	EMS˝ GB/T 17618-1998

SIM

SIM ẏй . ˘ ő OPEN ő ˘ ŭ˺ h ط ɨ ˺ a ╠ ˘ ييɣ Л Ль в ő ˘ ˆ p . 60 ɨ Л ώ SIM ˘ ɨ Л ő ɔ˘ ő LOCK ő ˘ ŭ˺ h ط ɨ ˺ a ╠ SIM Â a ╒ . ÂSIM ЮيÂ



1 ɜ HSIC-5G-NR ыь 4 ˘ ` ˘ έ ɛ ɕɯ Л 6.2 ą Â

ǯ ˛ ɳ ɪ ˘ ɣ 4 ` ɕɯ Л˘ ǯ ɣ 16CM˝ Ль ć Â

Л p . Л ANT0˝ ANT1˘ ANT2˝ ANT3 ˘ ˘ ¨ Л ╖ Â

¢ ¢

1.4

1.4.1 RG-PA60

RG-PA60 يم يي



	ɔ
	، ، ، ،

ا شخ	RG-PA60
ىتر ا ώ Ɦ	100-240V~ 50-60Hz
ىتر ا ώ Ɦ	90~2640Hz

1.5.1

- RSR10-X-07 ¥„ Â
- ˛ RJ45 SFP ˘I ˇ Ъ ~ à ARP ~ б 802.1Q ~
- ~ ˇ ˆ X.25 à è à HDLC à PPP ņ SLIP ~
- Э TCP/IP ~ ˇ ¢ IP à ICMP à IGMP à TCP ņ UDP ~
- IP Э ╠ ~ ' RIP˝ V1/V2~ à RIPng à OSPF˝ V1/V2/V3~ à
- ~ SNMP
- TELNET à ˄ ą TELNET
- DHCP Server à DHCP Client à DHCP Relay à TFTP
- ` ˇ VRRP ~ ˇ ˛ ˄
- PPPOE
- DNS ¨ à DDNS
- ˚ . ~ X-MODEM `
- NAT/NAT-PT à ACL à AAA
- IPSEC à L2TP à PPTP
- MPLS VPN ╗

1.5.2

- ˛ ñ ɔ ˇ ˇ Ф ҷ ˛ ˛ ╠ Â
- G ¨Ą è ˩ Ф ҷ ņ ˇ ˛ ŏ ˛ Â

1.5.3

- ~ ` Â
- ˄ ` ╗ Â

1.5.4

- ˛ ¢ ˇ ˛ ¢ ŕ DEBUG ҷ˘ ŧ ñ Æ ˩ Â
- ˛ ¢ ŕ ņ ą ╗ ˇ G ņ У ¢ Â
- SNMP˝ ˄ ˩ ˚ ņ ⁸ Â

■ ˙

1) Console ﻝ

2) TELNET

3) s ﻝ

4) ﻝ

1.5.5

■ ڃ IP ˆ ˇ ھ ﻛ à ﻝ ﻝ ˜ خشھ ﻝ ш Â

■ AAA ˇ RADIUS

■ PPP ˜ Э ɓ PAP ŋ CHAP ˜ ˇ ɓ تي ˆ callback˜ ╗ ˇ ɓ ə ŏ ﻝ Â

■ ǀ ﻝ ʒ ŋ ŏ Â

■ ف OSPF à RIP V2 è ɓ ╟ ˜ ﻝ ʒ Â

■ ھ ﻛ NAT

■ IPSEC/IKE ╗

■ GRE

■ VLAN

1.5.6

■ ˚ ﻝ / ﻝ ھ ﻝ Л Â

■ ﻝ autocommand ╗ ˇ ﻝ Л ╟ Ƀ ʒ˘ يجا ¥ autocommand ╗ ˇ a˚ a˚ Ƀ ʒ Â

■ Ƀ ʒ ⁞ ŋ telnet ╗ ˇ ˚ autocommand ╗ ˊ G ˇ ﻝ Л تي ǀ ئۇ ـا Â

■ يجا ¥ a˚ ɔ يز ﻝ ╗ ˇ ˚ У ھ G ˚ У ﻝ Â

■ ╗ Â ئۇ ǀ ئۇ ـا Э˘ ئۇ ـا ﻱ У э ˆ tty˜˘ g ﻙ ˇ ɖ ɓ ﻙ Â

■ ɓ يجا ¥ ئۇ ╗ ˇ ﻝ Л ف a˚ ئۇ ـا ˚ У ئۇ ـا a˚ Э ǀ Â

■ ﻝ ă TELNET ╗ ˇ ﻝ Л ئۇ ɾ ﻝ s ﻝ Â

1.5.7

■ ˚ · X-MODEM ˜ ˇ ﻝ Л ف ﻝ ɔ (Windows XP à Windows NT à UNIX à DOS)Ю Console ﻝ ˚ ﻝ Ю ` Â

2

2.1

ﻉﺋ è ɔ ˘ è G ˜Ω ∫ ə ŭ ɔ Â

ﺥﻓ ﻉﺋ p G è Ю ŏ

- a ﻉﺋ ﺥﻓ ﻙﻛ ˘ ≠ a в ώ ﻉﺋ Â
- ﻉﺋ ﺥﻓ ﻙﻛ Â
- ﻉﺋ ﻙﻛ Â
- ﺥﻓ è ⊐ Â
- a ﻉﺋ ﻡﻴ Â
- a Â
- a Лъ ↑ в ﻉﺋ ˚ ﻩﺳ ˘ й ȁ ﻥﺯ ˘ Â
- é ȁ ﻉﺋ ˚ ﺥﻓ ж Ц ﻙﻛ Лъ Â
- G UPS a ˘ У Л Лъ ȯ ˘ Ы У Л Лъ ȯ Â

¢
¢
A ¢ ¢

2.2

“ ﻉﺋ ﺥﻓ ǫ G ˘ й ф ﻉﺋ ɔ p G Ъ Â ﺝﻧ Ю “ ‘

- /
- ’
-
-
-
- Л

2.2.1 /



RSR10-X-07

0Ņ~45Ņ

10%~95%

1.5m 0.4m ¢

¢

2.2.2



(μm)	0.5	1	3	5
( )	1.4×107	7×105	2.4×105	1.3×105



	mg/m3~	mg/m3~
SO_2	0.2	1.5
H_2S	0	0.03
NO_2		

2

2.2.5

ў à ˇ Ю У Ҏ ‘

■

é ˆ ˈ

- π p
-

ˆ ˈ

-
-
- Л
- ы Ѓ

RSR10-X-07 ¢

˝Ω ˆ ˈ

- HUB Ђ
- CSU/DSU è DCE
- Ѓ Л ˇ ≠ Ѓ Л У Ѓ PC
- ы ۞
-

3

3.1

ѝ ѓ ó ѕѓ è Ђ ɔ ﾟﾟ ѧѫ ЉЮ



3.2

3.2.1

3.2.2

ڎ G è˘ ąЮ a é 19 ñ ˘ ۞ ڎ ' ɔ ʌ Э˘ ɔ ` ˘ ɔ è ЮY '

■ ɖ ɔ ʌ б ﻙ Â

■ G ﺱ ˆ ۞ Э˘ ˚ ڎ ۞ ﺗ 10cm Â

■ a ڎ ۞ Э Â

3.2.3

ұ RSR10-X-07 ۞˘ ʌ Лъ Â ˘ Ѳ ڎ ŭ ﺽ a Э˘ Ю'

У ' ڎ Э ч э ˘ ѝ 144mm˘ ч э ɖ

ү ' ώ ą̈˘ ώ

Ь ' 2 э ñ ˘ ڎ Э

3.3

RSR10-X-07 ۞ ЛЬЮЊ '

AC: 100~240V˙ 50-60Hz

Â

۞ Ь ˘ G è ` Ь ℸ ˘ è ڎ è ʌ ﻙ Â У ڎ k è ﺱﻙ˘ ŭ ﻙ Â

ЛЬЮ '

У ˘ ۞ ˝Ω ұ ľ ˝Ω Ł æ ł˘ ۞ У ˆ ۞ ł Э Э˘ ɻ У ˆ Њ Э Â

ү ˘ ۞ ˝Ω ˆ ľ Ł æ Â

Ь ˘ ұ RSR10-X-07˘ ɱ POWER ŭ ʌ ă˘ ă ‡ Â

ѝ ɕ ɖ ɲ ۞ ﻳ ˘ ˘ Ю'

У ˘ Ю У ﻳ è ˆ ﻩ è ˜ ώ Э У ﻳ RSR10-X-07 ў ˆ ﻩ è ˜





فخ RSR10-X-07 ў Э Юيي



γ ˘ ώ ˘ . ώ . è˘ يي è بخ ھ Л Љ ╠ Æ ˘ б . Â

Юئ



¢

¢

¢

3.4

3.5.2

У ' ɔ Â

ɣ ' ≈ Э Â

Ь ' G π р Ю н ч v Â

' н ч р в˘ ł ő ў Â

ч ' Ь ţ Ю ≈ н й Â

¢

¢

¢

¢

3.5.3

н Лъ ł˘ a G ˘ Ю '

■ ˘ ″ ў Â

■ ˘ ″ ɔ ў Â

■ EXEC Ю ą ˘ н ў Â

3.6

3.6.1

' ţ ɣ RSR10-X-07 ɔ˘ й RG-PA60 Â

У ' ў ł ɔ Â

ɣ ' ≈ Э ч э Â

Ь ' б ў ł Э Â

' ő ў ą˛ ˘ G б ў ł ˘ G π р Э ˘ Â

¢

¢

i

¢

3.6.2

ώ ˘ . ώ . è˘ Юئ

يي è ېخ ېھ Л Лъ ╠ Æ Â

¢

¢

3.6.4

ЛъЮ ≈ ‘

У ˘ ېيـ ĨΩ ↑ “OFF” Æ Â

ү ˘ ېيـ ĨΩ Ұ “OFF” Æ ł˘ . ˘ ÿ ېيـ Э Э ЮÂ


连接到
Ruijie
国家(地区)(C):
区号(E):
电话号码(P):
连接时使用(N):
COM1
取消
确定

COM1 属性
端口设置
每秒位数(B):
9600
数据位(D):
8
奇偶校验(P):
无
停止位(S):
1
数据流控制(F):
无
还原为默认值(R)
确定
取消



˘ ¨ Л ğ Э Â

4.1.2

4.1.2.1

ɔɸ Э ǯ m˘ ğ Ю ʻ

ɒ ﻙ ŭ̆

■ ᵏ Ч б ğ ŭ̆ У

■ ŭ̆ ŭ̆

¢

4.1.2.2

■ ğ ᵏ ˇΩ

■ ğ ˇΩ˙ ğ ˇΩ ɣ Ĭ' ON Ł Æ

4.1.2.3

ğŠ Э ł˘ Ю ‘

■ ŭ

‘ Ų ğŠ RSR10-X-07˝ a Â

■ ğŠ ṃ Э ŭ

‘ Ų RSR10-X-07˝ Э ł˘ SYSTEM ˘ ɔ ѝ Â

■ ŭ

‘ ğŠ Э ł Э˛ ğŠ ˚ Ч ą Â

4.1.3

ğŠ У í ╟˘ ˛ Ю ą ‘

****

```
Ruijie>
Ruijie>
Ruijie>
```

ˆ ЛЪЭ í ╠ ą Θ k ↓ ˘ a˚ ˚ ˚ ğÛ í ╠ ą ¸ a˚ Â˜

Л ЛЪ ğÛ ¢ Â

¢

4.2

G ğÛ˘ ğÛ é ɛ ˘ ˝Ω ¥ ğÛ é ɛ ą ↓ ˝Ω ņ Ф ҂ ↓ Â

5

5.1

RSR10-X-07 ʌ Лъ ṃ Э PWR ″ ğû ŭ Â ч У è
˘ ˘ Ю ‘

- ğû ℨΩ ŭ
- ğû k ℨΩ ŭ
- ğû ŭ
- ğû k б ğû ŭ Ē

Status /POWER
¢

5.2

ğû Э ł˘ ˘ ƒф Э ƒф тм í ╠ è ą Â ˘ Э ʌ
Ђ Â

ą ˘ Ю ‘

- ŭ Â
- ⁸ ʌ ʌ ŭ Â

Лъ Э ł˘ ˘ ʌ ч ˘ ч Â
Э Ђ ˘ ʌ ѣ й ч a Ē ˘ ч ‘ й 9600’ æ й 8’ ī й
’ ṃ æ й 1’ ⁸ й ’ ¸ й VT100 Â

¢

6

ﻑﺧ ئۇ è˘ ¸ Î G ﻝ n α Â è Â

6.1

6.1.1 E1

E1 . E1 б ﺝﻱ Modem Â

6.1.1.1 DB9F E1/CE1

V-03260037-000	CAB-E1 balanced/DB9M-RJ45M/120 ohm/3m	ˆ ˅˜
V-03260036-000	CAB-E1 balanced/DB9M-RJ45F/120 ohm/3m	ˆ ˅˜
V-03400094-100 ¥ HSIC-4G-LTE)	RG-ANT-2G3G4G3M	ŏ ŏ ă 4G ˘ 3 ˆ ў 4G ˜
V-03400042-110 ¥ HSIC-4G-LTE)	SL10653G-2M	ŏ ŏ ă 4G ˘ 2
V-03400154-100(¥ HSIC-5G-NR)	, RG-ANT-3G4G5G2M	ŏ ŏ ă 5G ˘ 2