



10

10

10

10

10


2

10

10

3

0



Ш

Ч

Ч

Ш

Ш

Ш

<http://www.ruijiery.com/>

<http://ocs.ruijie.com.cn/?p=smb>

1


RG-NBR108G-P
 └─RG-NBR108G-P
 └─

1.1

	RG-NBR108G-P
	DDR3 SDRAM 512MB
	eMMC 4GB

1.2

1-1 RG-NBR108G-P




RG-RAP220	12.95W	V1.0	RGOS 11.1(5)B23
RG-RAP220(E)	12.95W	V1.0	RGOS 11.1(5)B23
RG-RAP630(CD)	25W	V1.0	RGOS 11.1(5)B23
RG-RAP630(IODA)	25W	V1.0	RGOS 11.1(5)B23
RG-RAP110(E)	4W	V1.0	RGOS 11.1(5)B23

AP

APIШ

2

2.1



2.2

RG-NBR108G-P

Ш

2.2.1 /

Ш

Ш

Ш

І

Ł

15 Ń~30 Ń	0 Ń~45 Ń	40%~65%	10%~90%

1.5m

0.4m

48

15

5

2.2.2

Ш

Ш

	0.5	1	3	5
	1.4×107	7×105	2.4×105	1.3×105

ч

ч

ч

ч

	mg/m3	mg/m3
	0.2	1.5
	0	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3

2.2.3

Ш

ч

Ш

Ш


2.2.4

2.2.5

2.3

3

3.1



3.2

山

山

山

10cm

山



山

DB-9 Ш

3.6

4

4.1 Console



4-2 Console



图 4-2

4.2

/ Ì Ä


```
-----  
0 |    11 11 12 12 11 10 11 8 8 9
```

```
10 |    10 12 9 12 9 11
```

```
=====
```

```
=====
```

```
TX perbyte calibration
```

```
=====
```

```
DQS loop = 15, cmp_err_1 = ffff0000
```

```
dqs_perbyte_dly.last_dqsdly_pass[0]=15, finish count=1
```

```
dqs_perbyte_dly.last_dqsdly_pass[1]=15, finish count=2
```

```
DQ loop=15, cmp_err_1 = ffff0000
```

```
dqs_perbyte_dly.last_dqdly_pass[0]=15, finish count=1
```

```
dqs_perbyte_dly.last_dqdly_pass[1]=15, finish count=2
```

```
byte:0, (DQS,DQ)EMC /P Fe1-6(8)7(,)-68Q)
```


```
1--6(a)7(s)-6(h)7( )-6mctre 1, ee 0 15
```

```
=====
```

```
byte: (DQS,DQ)EMC /P Fe1-6(8)7(,)-68Q)
```

```
0dt
```

```
l oe atio=1
```

5

5.1



5.2

