



RG-IIB-N86KS

目录

安全使用说明事项.....	1
装箱清单.....	3
接口连接说明.....	3
面板按键说明.....	6
OPS电脑安装.....	7
遥控器.....	8
基本操作说明.....	8
产品	
软件升级.....	28
简单问题的处理方法.....	28
技术规格.....	29
产品中有毒有害物质或元素的名称及含量.....	30

- 14.
- 15.
- >2.5cm >10cm >10cm
1. ---
2. ---
3. ---
4. ---
5. ---
- 17.
- 19.
- 6.
- 21.
7. 22.
8. 23.
9. 24. Đ C
- 24
10. 25.
11. 26.
- () 27.
- 28.
12. -20°C 60°C
- 0°C 40°C
- 13.
- 30.


32.

*


36.


/

装箱清单



接口连接说明






AC
100-240V 50/60Hz



TO




 HDMI
 4K@60Hz,
4K@60Hz
时
→
→
 →
 5
<1s
→ EDID
EDID
 EDID2.0
 HDMI1
 接HDMI1接口。



面板按键说明



1 2 3 4 5



6



1.  :
2.  :
3.  :
4.  :
5.  :
6.  .

窗;

OPS



OPS



OPS

OPS

OPS


,



OPS

OPS

。



3.

4.

1.

2.

3.

4.

5. OPS

OPS

OPS
OPS

OPS

OPS

OPS

OPS



OPS

OPS

OPS


(I)

,
⏻
⏻
(O)



OPS






- 1.
- 2.
- 3.
- 4.
- 5.

基本操作说明




—




- 1.
- 2.

30%~500%





1.




2.





- 1.
- 2.OPS OPS
- 3.HDMI1 HDMI1
- 4.HDMI2 HDMI2
- 5.
- 6.
- 7.
- 8.



Wi-Fi
SSID

SSID

SSID

SSID





2

6.DNS1


DNS

8.







- 1.
- 2.
- 3.
- 4.



1. 24
- 2.
- 3.
- 4.
- 5.

24




按照如下 → → → 5次以上
(点 <1s)。

基本操作说明






10999
192.168.1.100:10999



IP 192.168.1.100
ADB




OPS










1.

2.

3.




1.

2.


3.

4.

5.




- 1.
- 2.
- 3.
- 4.
- 5.



- 1.
- 2.

A/C



6


1.

2.


3.

4.


2 M4螺丝



7



1.



	RG-IIB-N86KS
	AC 220V 50Hz/60Hz (AC 100-240V 50Hz/60Hz)
	440W
	≤ 0.5W
	1
(× ×)	4200mm × 1209.7mm × 110.5mm
× ×	1997mm × 1209.7mm × 110.5mm
× ×	1101.5mm × 1209.7mm × 110.5mm
	69kg
	20.6kg
	-20 -60
	10%-90% RH
	0 -40
	10%-90% RH
HDMI	2
LAN	2
AUDIO-IN	1
AUDIO-OUT	1
RS232(DB9)	1
USB 2.0	1
USB 3.0	3
USB TOUCH	1
USB Type-C	1

- 1.
- 2.



