




RG-IDP 2500E

RG-IDP 2500E





0 ~40
20%~90%
 1.3×10^5 (




19

$\bar{\varphi}\hat{w}$



10cm



OT

PE


1	
2	
3	
4	OT
5	
6	







Web

PC	MGMT	IP	192.168.1.100
192.168.1.200	192.168.1.0		
IE	https://192.168.1.200		
admin	admin		




Web





/



1

2

--

动态网关  

目的  子网 Internet服务
0.0.0.0/0.0.0.0

接口  To-WAN (wan1)

网关地址 20.20.20.1

管理距离  10

注释 输入注释... 0/255

状态  已启动  已禁用

 高级选项

确认 取消

新建静态路由

静态网关  

目的  子网 Internet服务
192.168.10.0/24

接口  To-LAN (port1)

10.10.10.1

 已启动  已禁用

 高级选项


确认 取消

3

--

”

“



新地址


名称	内网
颜色	变更
类型	子网
之网 / IP 范围	193.33.10.0/24
接口	☐ any
在地址列表中显示	☒
静态路由配置	☐
	0/255
标签类别	
	注释
	标签设定
	添加新
	确认 取消

4

--

"

"




/



RG-IDP 2500E

port3

port4



1




vlan
vlan

2

--

”

“



新地址

名称

颜色

类型

之网 / IP 范围

接口

在地址列表中显示 ☒

静态路由配置 ☐

0/255

注释

标签设定


标签类别

3

--

"

"




/
RG-IDP
RG-IDP

RG-IDP MGMT IP 172.16.1.1/24
port12
Gi0/1 RG-IDP

1
2

500Mbps



RG-IDP 2500E

port12

0



THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

A 11

