

Contents

%
%

%
%

WMC

WMC

WMC



MCP

Contents

%
%

%
%

WMC

weixin qq

WSO

P2

IP

MAC

portal

†

†

WMC/MCP

WMC/MCP

WMC/MCP

AC nas-id

WMC/MCP



```

portal                "      †      "

                SSID                †

                SSID      WMC/MCP

                SSID

WMC/MCP

                SSID                SSID

                SSID                UTF-8

UTF-8                GBK  GB2312

WMC/MCP  portal                ssid

                "      †      "

                SSID                †
    
```



” wifi

wifi

WMC/MCP WIFI

WMC/MCP WIFI




” † † †

ios APP IOS9.2 9.3 wifi

APP MCP 400



shopId not registered"
WMC/MCP shopId
appld
WMC/MCP MP
400



”

†

†

”

uc qq



„ expired timestamp"

5

WMC/MCP



5


```

        "
        †
        "invalid

sign....."


shopId appId secretKey SSID)

secretKey MP secretKey


MP secretKey

secretkey secretkey

wmc&mcp
    
```







PC

PC

wifi.weixin.qq.com



www.ruijie.com.cn

www.ruijie.com.cn/service.aspx

support.ruijie.com.cn

webchat.ruijie.com.cn

4008-111-000