



RG-SAM



Contents

-
-
-




SAM

SAM

SAM




SAM






SAM












zip








FTP

FTP

SAM

SAM





位置: 运维管理 > 日志管理

记录时间(开始): 2013-01-24 00:00:00 记录时间(结束): 2013-01-24 23:59:59

日志内容: (总是模糊查询)


[删除全部](#) [删除所选](#)

内容	记录时间	操作者	查看子日志	日志类型	日志内容
正常范围内, 无需收缩。	2013-01-24 02:02:09	system	无子日志	运维日志	数据库日志文件大小在正
4 02:02:09					时间: 2013-01-24
出正常范围, 需要进行整理, 已完成	2013-01-24 02:02:09	system	无子日志	运维日志	数据库有93个索引的索引碎片比例已经超
2:09, 共使用10秒。					时间: 2013-01-24 02:0
闲置空间, 需要收缩释放, 已完成。	2013-01-24 02:01:50	system	无子日志	运维日志	数据库数据文件中已有超过50%的空间为

-
SAM



SAM




Contents

-
-
-

SAM


SAM




SAM

RGAC

RGAC






SAM RGAC

“ ” > “ ”

位置: 系统管理 > 集群监控

RGAC集群状态

集群IP: 172.16.8.87





SAM

“ ” “ ” “ ”

”

位置: 运维管理 > 日志管理

日志类型

操作者

☒ 模糊查询

记录时间 (开始)

记录时间 (结束)

日志内容 (总是模糊查询)

“ ” “ ” “ ”

“

”

SAM3.8X

SAM

SAM

“ ” “ ” “ ”



“ ”

IP MAC

位置: 运维管理 > 上网明细管理

用户名称

用户IPv4

用户模板 请选择



上线时间(从) 2012-02-21 00:00:00



下线时间(至) 2012-02-21 23:59:59



()



“

”



“

”

“

”

IP

IP

Contents

-
-
-


SAM

SAM

SAM

SAM

4008111000



RG-SAM

RG-SAM

“ / ”


RG-SAM




RG-SAM

“ ” → ”

“ ”





SAM

www.ruijie.com.cn

www.ruijie.com.cn/service.aspx

support.ruijie.com.cn

webchat.ruijie.com.cn

4008-111-000