

RG-S29G-E V3



Contents



I



Rumo

www.tithecourt.co


I



RG-S29G-E V3



20cm

\$



(


4





OT


OT



1	
2	
3	OT
4	

PE

PE




Contents



Chapter 1

1.1	1.1.1	1.1.2	1.1.3	1.1.4	1.1.5	1.1.6	1.1.7	1.1.8	1.1.9	1.1.10	1.1.11	1.1.12	1.1.13	1.1.14	1.1.15	1.1.16	1.1.17	1.1.18	1.1.19	1.1.20	1.1.21	1.1.22	1.1.23	1.1.24	1.1.25	1.1.26	1.1.27	1.1.28	1.1.29	1.1.30	1.1.31	1.1.32	1.1.33	1.1.34	1.1.35	1.1.36	1.1.37	1.1.38	1.1.39	1.1.40	1.1.41	1.1.42	1.1.43	1.1.44	1.1.45	1.1.46	1.1.47	1.1.48	1.1.49	1.1.50	1.1.51	1.1.52	1.1.53	1.1.54	1.1.55	1.1.56	1.1.57	1.1.58	1.1.59	1.1.60	1.1.61	1.1.62	1.1.63	1.1.64	1.1.65	1.1.66	1.1.67	1.1.68	1.1.69	1.1.70	1.1.71	1.1.72	1.1.73	1.1.74	1.1.75	1.1.76	1.1.77	1.1.78	1.1.79	1.1.80	1.1.81	1.1.82	1.1.83	1.1.84	1.1.85	1.1.86	1.1.87	1.1.88	1.1.89	1.1.90	1.1.91	1.1.92	1.1.93	1.1.94	1.1.95	1.1.96	1.1.97	1.1.98	1.1.99	1.1.100
-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------




1 Console

2 Telnet/SSH
CLI

3 SNMP
CLI

4 WEB
WEB
admin/admin

| Console



| Console



Console

CRT

```
Boot 1.2.9-5bb0801 (Build time: Sep 25 2014 - 10:26:15)
DRAM: 1 GiB
NAND: 512 MiB
Flash: 8 MiB
SETMAC: Setmac operation was performed at 2014-09-09 11:08:47 (version: 1.1.0)
Press RETURN to get started
```

3

Press RETURN to get started

```
*Nov 27 17:30:10: %DP-6-POWER_OK: Power 2 ok.
~ # *Nov 27 17:30:14: %DP-5-PROB: Board probing has completed.
*Nov 27 17:30:14: %DEV_MONITOR-6-DEVICE_INIT: master role init.
*Nov 27 17:30:15: %REDUNDANCY-6-STATES_CHANGE: Redundancy states changed: role master, state alone.
*Nov 27 17:30:15: %RG_SYSMON-5-WARMSTART: System warmstart.
Press RETURN to get started

Ruijie>
```

“ Enter ”

CLI
VSU

6min

VSU


VSU

VSU

Ruijie

www.ruijie.com.cn

| Console



Console

CLI

Telnet/SSH

CLI

CLI

Ruijie> // :

Ruijie>en

Ruijie# //

Ruijie#config

Enter configuration commands, one per line. End with CNTL/Z.


Ruijie(config)# //

?


Console



CLI



| Console



?

11.X CLI

10.X

CLI

Ruijie#show version /show version slots / show cpu /show memory /show interface status /show ip route /show arp /show fan / show power /show temperature....

Ruijie#show run //

Ruijie(config-if-GigabitEthernet 1/1)#show this //

Ruijie#wr //

Ruijie#ping 8.8.8.8 // Ping

Ruijie#traceroute 8.8.8.8 // traceroute

Ruijie#telnet 192.168.3.254 // telnet

Ruijie#debug ip icmp //


Ruijie

WWW.HITHE-3000.COM

Telnet

Telnet





RG-S29
RG-S29

RGOS 11.4(1)B12
RGOS 11.4(1)B12

.pdf
.pdf

S6220
11.X

10.X

S12000


S8600

S5750

S29G-E V3

Contents





1 TFTP

2 UBOOT

PPT

1
2
3

bug

TFTP

1 PC TFTP Server PC S29G-E V3

2 S29G-E V3 TFTP Client TFTP ,
flash tmp tmp
Ruijie#copy tftp://192.168.1.1/S2910-NONE-
POE_RGOS11.4(1)B1_02160311_install.bin flash:/S2910-NONE-
POE_RGOS11.4(1)B1_02160311_install.bin
3 Upgrade upgrade

TFTP

TFTP

t

- www.ruijie.com.cn
- www.ruijie.com.cn/service.aspx
- support.ruijie.com.cn

- webchat.ruijie.com.cn
- 4008-111-000