




<http://192.168.1.1>
(admin)


WEB






+, 360极速浏览器! 若PC为Window
E浏览器的信任站点中加入被访问IP地


推荐使用Firefox, IE10
Server操作系统, 请在
址。













Riite

www.rinite.com



Riite

www.rinite.com

```
Ruijie#show interfaces gigabitEthernet 0/0
Index(dec):2 (hex):2
GigabitEthernet 0/0 is UP , line protocol is UP
Hardware is OCTEN GE CONTROLLER GigabitEthernet, address is 001a.a93d.b84f (bia 001a.a93d.b84f)
Interface address is: no ip address
ARP type: ARPA, ARP Timeout: 3600 seconds
  MTU 1500 bytes, BW 1000000 Kbit
  Encapsulation protocol is Ethernet-II, loopback not set
    Keepalive interval is 10 sec, set
    Carrier delay is 2 sec
    Rxload is 1/255, Txload is 1/255
    Queueing strategy: FIFO
      Output queue 0/40, 0 drops;
      Input queue 0/75, 0 drops
    Link Mode: 1000M/Full-Duplex, media-type is twisted-pair.
    Output flowcontrol is off;Input flowcontrol is off.
    5 minutes input rate 496 bits/sec, 0 packets/sec
    5 minutes output rate 13 bits/sec, 0 packets/sec
    431 packets input, 40593 bytes, 0 no buffer, 0 dropped
    Received 429 broadcasts, 0 runts, 0 giants
    0 input errors, 0 CRC, 0 frame, 0 overrun, 0 abort
    0 packets output, 0 bytes, 0 no buffer, 0 dropped
```

将日志



累
本次开机运行

后面的

的

e e





Riite

www.rinite.com




Riite

WWW.SIHHS.CO.CZ



Riite

www.rinite.com





Riite

WWW.SIHHS.CO.CZ



Riite

www.rinite.com



Riite

WWW.RIITE.CO.UK

快速配置

+网络设置

+路由设置

+虚拟专网

+证书管理

+AAA

+网络管理

软件升级

升级进度：0%

状态信息：升级文件为：rgos.bin

版本信息

硬件版本：1.00

软件版本：RGOS 40.4(2435) Package(200320) (各维加加)

升级文件：RGOS 40.4(2435) Package(200320) (各维加加)

设备名称

系统时间

升级文件

软件升级

注意事项：

1.可升级系统固件 (*.bin)，文件上传完成后，必须重启设备才能生效。

2.可升级WIFI包 (*.img)，文件上传完成后，按CTM+R键刷新，才能生效。



Riite

WWW.RIITE.CO.UK



Riite

www.rinite.com



Riite

www.rinite.com