



AP630

AP620

AP620

AP

RG-AP630

802.11ac

IP67/IP68

- | | | | | |
|---|----------------|---|-------|-------------|
| ➤ | RG-AP630(IDA2) | / | WAVE2 | 2.4G 3*3,5G |
| | 3*3 | | | |
| ➤ | RG-AP630(IDA) | / | | |
| ➤ | RG-AP630(IODA) | / | | |
| ➤ | RG-AP630(CD) | / | | |
| ➤ | RG-AP630(CE) | | | |
| ➤ | RG-AP630-C | | | |

AP630

AP630

AP630

AP630

AP630

AP630

AP630



RG-AP630(IDA2)

✓ RG-AP630(IDA2)

2.4G 5G 3*3

✓ AP630

+

✓ AP630

6KV

✓ AP630

POE+

✓

POE-OUT

PSE

✓ AP630

WIFI

APP

RG-AP630(IDA&IODA)

✓ RG-AP630(IDA) (IODA)
/

✓ AP630

+

✓ AP630 6KV

✓ AP630
POE+

✓ PSE HPOE
POE OUT POE+

✓

✓ AP630 WIFI APP

RG-AP630(CD & CE)

✓ RG-AP630(CD)

RG-AP630-C

✓ RG-AP630-C

POE-OUT

PSE

✓ 6KV


✓ AP630-C

POE+

✓ AP630-C



AP630(IDA2)



2.4G

5G

3

- 1 2.4G
- 2 Console RJ-45
- 3 10/100/1000Base-T
ETH2 RJ-45
- 4 10/100/1000Base-T
ETH1 /PoE IN RJ-45
- 5 ETH1 SFP
- 6 5G

AP630(IDA&IODA)

1 2.4G

2 Console RJ-45



3 10/100/1000Base-T

ETH2 /PoE OUT RJ-45 μ

1 3 1

~ ~

AP630(CD)




- 1 Console RJ-45
- 2 10/100/1000Base-T
ETH1 /PoE IN RJ-45
- 3 ETH1 SFP

➤ AP630(CD)

AP630(CE)

- 1 Console RJ-45
- 2 10/100/1000Base-T
ETH1 /PoE IN RJ-45
- 3 ETH1

AP630-C



- 1 Console RJ-45
- 2 10/100/1000Base-T
ETH1 /PoE IN RJ-45
- 3 ETH1 SFP
- 4 2.4G
- 5 5G







- 2.4G 5G 3
1
- 2.4G 5G
- 2.4G 5G
2.4G-1 5G-1
1, MCS 11n
7,11ac 9

	RG-AP630 IDA2
(L × W × H)	276 mm × 246 mm × 90mm
	: 2.533Gbps : 1.9Gbps
	802.11b/g/n: 2.4GHz-2.483GHz; 802.11ac/a/n: 5.15GHz-5.85GHz
	27dBm
	2.4G: 10dBi; 5G: 10dBi
	2.4G: :30 ° / :60 ° 5G: :30 ° / :60 °
	1 10/100/1000 Base-T 1 SFP 1 10/100/1000Base-T
	WDS
PoE	802.3at af
	<25w
	-40 ~+55
	5%~95%
	IP68
	<2.5kg
	GB4943 EN60601-1-2 () UL/CSA 60950-1 EN/IEC 60950-1 EN/IEC 60950-22
EMC	GB9254-2008 EN301 489 EN55022 FCC Part15 RSS-210



	RG-AP630 CD	RG-AP630 CE
(L × W × H)	276 mm × 246 mm × 90mm	
	1.166Gbps	
	802.11b/g/n: 2.4GHz-2.483GHz; 802.11ac/a/n: 5.15GHz-5.85GHz	




	RG-AP630-C
(L × W × H)	276 mm × 246 mm × 90mm
	1.75Gbps
	802.11b/g/n: 2.4GHz-2.483GHz 802.11ac/a/n: 5.15GHz-5.85GHz
	27dBm
	1 Console RJ45 1 10/100/1000Mbps ETH/PoE RJ45 1 SFP ETH/PoE
PoE	802.3at
	<25w
	-40 ~+55
	5%~95%
	IP68
	<2.5kg
	GB4943 EN60601-1-2 () UL/CSA 60950-1 EN/IEC 60950-1 EN/IEC 60950-22
EMC	GB9254-2008 EN301 489 EN55022 FCC Part15 RSS-210





2.4G:



5G:






AP630(CE)



M8X20 M8X40

PG
M25*1.5

65-89mm



RG-AP630
SYS

1

3
AP

1

SYS		
		CAPWAP
		linkup
3 ()	1	-70dBm
	2	-70dBm -50dBm
	3	-50dBm

AP630

AP630

AP630

AP630

AP630

AP630

AP630

---WDS 1



✓

✓ AP630

MR620

AP630

✓ 1

AP630(IDA&IODA)

1 4

AP630(CD&CE)

1 16

1 10

✓

5G

2.4G

+

+

✓

-70db RSSI 25

---WDS

✓ AP630

AP

5

AP

AP

10

✓

✓ AP630

AP630

MR620

✓

5G

2.4G +

+

l

✓

AP630

AP630

AP630

AP630

AP630

AP630

AP630



--- ()

/


✓

---WDS 1 / (IDA)

/ /

- ✓
- ✓ WDS 1 4 5 2.4G
5G
- ✓ WDS 5G + 2.4G
- ✓ AP

50mm





AP630



AP630

AP

	1 11	1 11 6
 4		20
 90	1.5	6
 0.8		2
 120	0.5	4
		

AP630

AP630

AP630

AP630

AP630

AP630

AP630

AP interface Dot11radio 1/0
external-antenna enable

AP ap-config xxx
external-antenna enable radio 1

2

AP interface Dot11radio 1/0
no external-antenna enable

AP ap-config xxx
no external-antenna enable radio 1

AP630

AP



60

100

149



AP

AP



AP630

2.4G

5G

2.4G

5G

AP630



AP630

+1

RSSI≥30

RSSI≥25



桥接配置

AP630

AP630

AP630

AP630

AP630

AP630

AP630

OT
OT

25



1

AP

2

PG

3

AP POE IN

4

PG

□ AP

□

□

30cm

□ AP630

6KV

□

□ AP

AP630

<http://www.ruijie.com.cn/fw/zxpx/590>

https://mp.weixin.qq.com/s/Lb65R_rxAZjpEaLUiT7oJA

AP630

AP630

AP630

AP630

AP630

AP630

AP630



link

1
2



29

A 11

100036

Office Tel: 010-51718888 Mobile Tel: 13888888888 Fax: 010-51718888

www.ruijie.com.cn E-Mail: xxx@ruijie.com.cn