

RG-AP730(TR)

100%

100%




Contents

MU MIMO
SSID

WIDS







Contents

MU MIMO
SSID

WIDS



26#AC1(config-ap)#mu-mimo enable radio 2

26#AC1(config-ap)#show ac-config client

MU



Contents

MU MIMO
SSID

WIDS

26#AC1(config-ap)#hide-ssid sta-reach-limit [radio { 2.4g | 5g }]



Contents

MU MIMO
SSID

WIDS


26#AC1(config-ap)# inter-radio-balance num-balance enable
26#AC1(config-ap)# inter-radio-balance radio 1 weight 50



Contents

MU MIMO
SSID

WIDS



Contents

MU MIMO
SSID

WIDS

1 ()

2



Contents

MU MIMO
SSID

WIDS

1

2

3

4 EWEB

电子书包网络

运行监控

WIFI用户分组

网络优化

网络优化

网络优化，从保证用户网络质量，上网速度快，若无线信号列表内

说明：网络优化是针对电子书包的实际场景先进行实际网络环境检测评估，根据检测结果进行一系列的网

了解当前网优环境的 5g 终端数量

无线信号1:

+

[WIFI管理]

关联用户个数:

64

(范围: 10-256)

无线信号2:

+


(范围: 0-256)

网络优化

网络优化

网络优化


网络优化



Contents

MU MIMO
SSID

WIDS



+

+

+

1001

+

+

