






ò    é ð WS7005-A(V2)À    ≠ Ñ    %PPT ħ  
 PPT    √    Å    [OBJ]    · Û    ˆ    ₪    Z    ħ    ˆ    [OBJ]    W    ǰ       ƒ    Y

WS7005-A(V2) 1 0BJ 0 7

WS7005-A(V2) W 0 0 0 0 0 0


WS7005-A(V2) W 1 Y






WS7005-A ĩ ˆ Ä ð ʎ ħ ʏ ʝ T [OBJ] ʏ ð ʏ [OBJ] ù % ʊ ʎ ʎ W  
X ð ʀ ʏ WS7005-A ʊ [OBJ] 2 w [OBJ] H ʃ [OBJ] "A ó  
[OBJ] ð ʎ WS7005-A Ě ð ñ | • ã ä ĩ ů [OBJ] é ʝ  
• % ʟ A WS7005-A(V2) "E Flash 512MB A ʏ ó "E DDR 1GB  
ʌ ĩ "E ó

À P  
ʃ [OBJ] ù ʃ ó ĩ' [OBJ] ó ĩ " [OBJ]



$\delta \leq 100$  m  
 WPA-PSK/WPA2-PSK



$\delta \geq 50$  m  
 $\delta \geq 10$  m



4



$\leq 300W$   
 $\leq 20$  m  
 $\delta \geq 10$  m

$\nabla \leq 150$      $\tilde{A}$   
 $\tau$      $\omega$      $\wedge$      $\overline{\Gamma}$      $\dot{\tau}$      $"A$      $\downarrow$      $H\tilde{\omega}2$   
 $\dot{\omega}$      $\downarrow$      $"\Omega\tilde{\Omega}$      $"H$   
 $\ddot{O}$   
 $\nabla \leq 3000$

$\nabla:$      $\leq 15$      $\leq 30$   
 $\leq 50$   
 $\tau$      $\downarrow$      $PC$      $\dot{\epsilon}$   
 $PDA \setminus AGV \setminus PC$

$\nabla$      $3 \sim 5$      $\nabla$      $—"A$   
 $\tau$      $\dot{\tau}$      $\nabla$      $"\Omega\tilde{\Omega}$      $BIM$      $\nabla$   
 $\nabla \leq 2000$

$\nabla$      $\tilde{A} \leq 150$   
 $\tau$      $10 \sim 50$      $\dot{\tau}$      $\dot{\tau}$      $\dot{\eta} \dot{W}$   
 $\nabla$      $1$      $+$










|  |            |
|--|------------|
|  | RG-WS7005- |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |



Ω κ

⊃ ↑ Õ ♂

Ω ω

⊃ ⊃ ◇ SYS ↑ Õ ♂

Ω π Á |

WS7005-A(V2) DC ⊃ 5 ↑ . DC ì ı ĩ ǎ ǎ AC ǎ ĩ ǎ

5 ↑ ⊃ [OBJ] ǎ ǎ ĩ ĩ 220V ⊃ ǎ ǎ

5 ↑ ǎ ǎ ĩ ω ⊃

ǒ Ƶ

↘ ǐ ǐ

ǒ ǒ

ì ↘ ı ı ↘ Z [OBJ] "Y~ ♂

ǒ Ƶ |

. ↘ ı ǐ ı\* W ǎ 'H 'E ǒ " [OBJ]

. ↘ [OBJ] ı ǐ \* W ı

ı . ↘ ı ı ǐ ıH'Y ı ı

ŵ ƛ

ì AP í ɔ

ŵ ò

POE ɔ AP ì LAN ñ |

ŵ ƚ Á |

₵ | AP ï AF ɔ ï AT ɔ ' ï AT ɔ ì LAN1 ã LAN2 X J ǎ AT ɔ

ǻ ï AF ₵ | ì ʌ ɪ ɣ ï ì X ɥ ẽ ɹ ʰ ~ Z ɣ POE ɔ "Y~ ø ï



RG-WS7005-A(V2) ò      ƒ 220V      ɔ      Ȧ      ɔ      ʻ      ı      ˆ      ˜

    ă      ƒ      5      V [OBJ]      '      ă W

    ′      ‰ [OBJ]      ƒ

RG-WS7005-





POE 3 1      ǎ      1      1      ǎ      1      ǎ      1





↑ POE      AF      ∂ ω      Œ ' 52W  
E      AT      ∂ `H      Ĩ ì LAN1    LAN2 ʝ      X Œ ǎ Ĩ      52W



|| AM A<sup>∧</sup>

A<sup>∧</sup>

1 2 A<sup>∧</sup>

0 + A<sup>∧</sup>

1 AC



VAC 4



PPT  
└ Y

À

· I [OBJ] Ů ~

P

Z ı ~

[OBJ]

P

À

W

Ÿ

À

W

# THANKS

À Á Â Ã

¥

29

Y

À 100036

Office Tel: 010-51715999

Fax: 010-51413399

H H'Y 4008-111-000

[www.ruijie.com.cn](http://www.ruijie.com.cn)



"E "E

A à 11 P

