

RG-SMP+

AD

V1.0

2025-03-28

copyright © 2025

copyright © 2025



RG-SMP+ AD

RG-SMP+ AD LDAP Referral

T t



SMP+ RG-SMP+ ,



I

1		1
1.1		1
1.2		1
1.3		1
2		

1

1.1

RG-SMP+ AD

AD

1.2

AD -

1.3


Active Directory AD

(1)	LDAP Client	LDAP		SMP+	SMP+	AD	
	SMP+		AD				Referral
(2)	Referral		URL	SMP+	Referral		URL
		Referral	URL				
(3)							

```

graph TD
    AD1[AD] --> AD2[AD]
    AD1 --> TD[Trusted Domain]
    AD1 --> PDC[PDC]
    AD2 --> LDAP1[LDAP]
    TD --> LDAP1
    PDC --> LDAP1
    LDAP1 --> AD3[AD]
    LDAP1 --> LDAP2[LDAP]
    LDAP2 --> LDAP3[LDAP]
    LDAP3 --> LDAP4[LDAP Referral]
    LDAP4 --> LDAP5[LDAP Referral]

```

(3) AD




(4) LDAP
AD LDAP
AD LDAP



(5) < >

LDAP



3.2

SMP+

SMP+

4

SMP+

IP 433337

```
network:
  ethernets:
    ens160:
      addresses:
        - 172.17.9.71/24
      gateway4: 172.17.9.1
      nameservers:
        addresses:
          - 172.17.9.133
      dhcp4: no
  version: 2
#
netplan apply
#    k8s coredns pod,      coredns-          coredns      tab
kubectl delete pod -n kube-system coredns-xxx
```